

# Bona Mega Booster™

## Technical data sheet

This performance enhancing additive for Bona Mega® promotes increased durability, chemical resistance and adhesion. Combined with Bona Mega it is ideal for prolonging the life and enhancing the beauty of residential and commercial wood floors.

- Promotes maximum durability
- Increased chemical resistance
- Increased adhesion, allowing Bona Mega® with Bona Mega Booster™ to be used on re-coats
- Exceptional build and clarity
- Excellent flow and leveling
- GREENGUARD certified for indoor air quality.
- Fast drying - Approximately 2-3 hours

### Technical data

#### Physical Characteristics:

**Ingredients** – Polyfunctional aziridine, diethylene glycol monoethyl ether acetate, and dipropylene glycol monomethyl ether.

**Color** – Milky white (wet)

**pH** – 7.9

**Solids** – 31.5%

**Density** – 8.68 lbs/gallon (1.04 S.G.)

**US Regulatory VOC**– 250 g/L when used with Bona Mega®

**Gloss Level** – (60°) >90 for gloss, 45-50 for semi-gloss, 25-30 for satin

**Odor** – Non-offending

**Stability** – 1 year shelf life in unopened container

**Packaging** – 8 oz. plastic bottle – Mega Booster only

#### Application Characteristics:

**Clarity** – Clear when dry

**Leveling** – Excellent

**Defoaming** - Excellent

**Drying Time** – 2-3 hours

**Coverage** – 500-600 square feet per gallon

**Percent Cured After 24 Hours** – 70%

**Maximum Cure** – 100% after 1 week

### Recommended Use

- Heavy-traffic residential- kitchens, entryways, family rooms, homes with pets, children and high foot traffic
- Commercial- restaurants, offices, retail stores
- Hospitals, schools and universities, nursing homes

### Directions

**BEFORE USING, READ ALL DIRECTIONS AND SAFETY DATA SHEET FOR THIS PRODUCT.**

**FOR TECHNICAL ADVICE:** Call Bona US at 800/872-5515

**MIXING INSTRUCTIONS:** ONLY MIX BONA MEGA BOOSTER™ WITH BONA MEGA FINISH. DO NOT THIN. DO NOT ADD WATER.

**1.** Shake Bona Mega® finish (Part A) well for 30 seconds. **2.** Add Bona Mega Booster (Part B) to finish (Part A). One bottle of Bona Mega Booster will activate one gallon of Bona Mega. To mix finish amounts of less than one gallon, use a 1:16 ratio. **3.** Immediately shake mixture vigorously for 15 to 30 seconds. **4.** Insert supplied filter into Bona Mega bottle. **5.** Let sit for 5-10 minutes before applying.

**POT LIFE:** The finish/booster mixture is active for 8 hours after it is mixed. Within 2-3 days, Bona Mega Booster may be added one additional time.

### Maintenance

**STORAGE:** Bona Mega Booster should be stored in a climate- controlled environment. KEEP FROM FREEZING. Do not store above 100° F (38° C).

### Order Information

**Item#:** WH800061001

**Size:** 8 oz.

**#/Case:** 12

Finishing



**Bona**®