Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

1 Identification

• Trade name: Magic Oil 2K Color Komp. B

· Relevant identified uses of the substance or mixture and uses advised against

- · Sector of Use For professional use only.
- Application of the substance / the mixture 2 Component Oil for Wood Flooring (Component B)
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Manufacturer: PALLMANN GmbH Im Kreuz 6 D-97076 Würzburg Germany Phone +49 931-27964-0 Fax +49 931-27964-50

Supplier: UFLOOR Systems Inc. 14509 E. 33rd. Place, Unit G Aurora, CO 80011 Phone: +720-374-4810 Toll-Free: +1 866-505-4810 Fax: +1 720-374-2113

- Information department: Products Development Lab E-Mail: msds.info@uzin-utz.com
- Emergency telephone number: For Chemical Emergency Spill Leak Fire Exposure or Accident Call CHEMTREC Day or Night: DOMESTIC NORTH AMERICA 800-424-9300 International, call +49 621 60 43 333

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Acute Tox. 4H332Harmful if inhaled.Skin Sens. 1H317May cause an allergic skin reaction.STOT SE 3H335May cause respiratory irritation.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms GHS07

- · Signal word Warning
- *Hazard-determining components of labeling:* 1,6-*Hexamethylene diisocyanate homopolymer*
- Hazard statements
- Harmful if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.
- May cause respiratory irritation. • **Precautionary statements** Wear protective gloves / eye protection. If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

US

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

Trade name: Magic Oil 2K Color Komp. B

(Contd. of page 1) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. • NFPA ratings (scale 0 - 4)
$\begin{array}{c} Health = 2\\ Fire = 1\\ Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH2FIRE1 $Fire = 1$ REACTIVITY0
· Other hazards
NFPA Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.
NFPA is the National Fire Protection Association.
HMIS Rating Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe.
HMIS®, the Hazardous Materials Identification System, is a registered mark of the National Paint and
Coatings Association (NPCA).
• Results of PBT and vPvB assessment • PBT: Not applicable.

• **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:28182-81-21,6-Hexamethylene diisocyanate homopolymer75-100%① Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H33575-100%

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

Trade name: Magic Oil 2K Color Komp. B

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- *Protective equipment:* Mouth respiratory protective device.
- · Additional information: Flash point: 180 °C (356°F)

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Avoid contact with the eyes and skin.

Do not eat or drink while working.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Avoid contact with the eyes and skin.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

US

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

(Contd. of page 3)

Trade name: Magic Oil 2K Color Komp. B

• **Breathing equipment:** Not necessary. Ensure that room is well-ventilated during processing. • **Protection of hands:**



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.5 mm

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Weak, characteristic
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	ca. 193 °C (ca. 379 °F)
Auto igniting:	Product is not selfigniting.
	However, also observe the safety data sheet of component A.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure at 50 °C (122 °F)	: 0.00001 hPa
Density at 20 °C (68 °F):	1.15 g/cm³ (9.597 lbs/gal)
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Viscosity:	
Dynamic at 20 °C (68 °F):	ca. 960 mPas
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

From approx. 260 °C, polymerization and separation of CO₂

(Contd. on page 5)

US

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

Trade name: Magic Oil 2K Color Komp. B

· Possibility of hazardous reactions

The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.

- · Conditions to avoid No further relevant information available.
- Incompatible materials:

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Uncontrolled exothermic reactions occur with amines and alcohols.

During storage, avoid moisture contamination.

• Hazardous decomposition products:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

28182-81-2 1,6-Hexamethylene diisocyanate homopolymer

Oral LD50 >5000 mg/kg (rat) (OECD test guideline 423)

Dermal LD50 >2000 mg/kg (rat) (OECD test guideline 402)

· Specific symptoms in biological assay:

· Primary route(s) of entry: Skin contact, eye contact, ingestion.

- · Primary irritant effect:
- on the skin: Slightly irritant effect may occur.
- on the eye: No irritant effect.
- · Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

(Contd. of page 4)

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

Trade name: Magic Oil 2K Color Komp. B

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Do not allow product to reach sewage system. Disposal should be in accordance with local, state or national legislation.

· Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· DOT, ADN, IMDG, IATA	
· Class	Void
· DOT, IMDG, IATA	Void
· Environmental hazards:	
• Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport/Additional information	: Not regulated as hazardous material according to the above specifications.

• UN "Model Regulation":

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • SARA (Superfund Amendments and Reauthorization Act)

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)

(Contd. of page 5)

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

Trade name: Magic Oil 2K Color Komp. B

Chemicals known to cause reproductive toxicity for females:	(Contd. of page
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
The product is classified and labeled according to the Globally Harmonized System (GF Hazard pictograms GHS07 Signal word Warning	
Hazard-determining components of labeling: 1,6-Hexamethylene diisocyanate homopolymer	
Hazard statements	
Harmful if inhaled.	
May cause an allergic skin reaction.	
May cause respiratory irritation.	
Precautionary statements	
Wear protective gloves / eye protection. If on skin: Wash with plenty of soap and water.	
If on skin, wash with prenty of soup and water. If skin irritation or rash occurs: Get medical advice/attention.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	present and easy to a
Continue rinsing.	
If eye irritation persists: Get medical advice/attention.	
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for	breathing.
If experiencing respiratory symptoms: Call a poison center/doctor.	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Recommended restriction of use For professional use only.

· Contact:

USA: Daniel Gill, phone + 1 720-374-4810 Germany: Dr. Koette, Tel. +49 931.279.6425

· Date of preparation / last revision 08/03/2015 / -

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)

Printing date 08/03/2015

Version No. 1

Reviewed on 08/03/2015

Trade name: Magic Oil 2K Color Komp. B

CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	ſ

(Contd. of page 7)

US