

PALLMANN

PRODUCT GUIDE



PALLMANN®
wood floors. protected

SYSTEM SOLUTIONS

HARDWOOD COMPLETE

This sums up PALLMANN's full range offer of product systems specially developed for the preparation, installation, surface treatment and care of hardwood floors. PALLMANN® has become the only credible full-system solution for the hardwood flooring professional. The products we offer include leveling compounds, moisture mitigation products, adhesives, sanding machines, sealers, finishes and care & maintenance products.



EST 1900



OUR HISTORY

Since 1900 PALLMANN® has been using the latest technology available in the wood flooring installation market. PALLMANN® is constantly working on low-emission products, ergonomic tools, and elimination of solvents to provide the very best in both performance and working conditions for the hardwood flooring contractor. As part of the Uzin Utz group we are able to offer contractors a system based product solution for any wood flooring project.

TECHNICAL SUPPORT

Our business is built on developing quality relationships with our customers that bring real experience and technical expertise to their business. Our team of dedicated, experienced hardwood flooring industry professionals truly reflects the commitment and passion that we have for our products and our customers. We combine German Engineering with American Expertise to give hardwood flooring contractors the very best product system, which gives homeowners a beautiful hardwood floor that is protected for years to come.



Watch the PALLMANN Corporate Video




HARDWOOD COMPLETE


COMPLETE SYSTEMS FOR WOOD FLOOR INSTALLATIONS




HARDWOOD COMPLETE



PRODUCT RANGE CONTENTS

 Click on the product to jump to its page in the catalog

 Click this icon to return to the Table of Contents

SUBFLOOR PREPARATION

PALLMANN® P104	8
PALLMANN® P108	8
EXTENSION POLE	9
THREADED INSERT FOR TOOLS	9
COPPER GRINDING DISCS	9
NINJA DRIVE PLATE	10
NINJA DRIVE PLATE SEGMENTS	11

ADHESIVES

PALLMANN® P5	15
PALLMANN® P7	15
PALLMANN® P13	16
PALLMANN® CLEAN BOX	16
US-STYLE TROWEL B11	17
TROWEL HANDLE	17
TROWEL INSERTS	17

MACHINES AND ACCESSORIES

PALLMANN® SPIDER	21
PALLMANN® COBRA	23
PALLMANN® KING COBRA	23
PALLMANN® COBRA II	25
TRAVEL BASE	25
DUST BAG	25
PALLMANN® GECKO STAR 2.0	27
PALLMANN® GECKO STAR 2.0 (R)	27
PALLMANN® TURBO SCRUBBER	28
PALLMANN® WAIST BELT	29
HARDWOOD PULLING IRON	29
HARDWOOD SLIDE HAMMER	29
HARDWOOD TAPPING BLOCK	29

SURFACE TREATMENT

PALL-X GOLD	33
PALL-X PURE	35
PALL-X POWER	37
PALL-X 96 NEXGEN	39
PALL-X NATURESEAL	41
PALL-X WHITESEAL	41
PALL-X COLOR	43
PALL-X CLEAR	43
PALL-X KITT	43
MAGIC OIL 2K	45
COLOR TESTER PUCKS	47
STAINLESS STEEL TROWEL	47
MAGIC OIL CLEAN N PREP	47
MAGIC OIL CARE	47
PALL-X BOND	49
PALL-X GOLD/PURE MIX BOTTLE	50
ROLLER FRAME 10"	50
WATERBORNE ROLLER	50
APPLICATOR TUBES	50
PALL-X BOND ROLLER	51
PALLMANN® BUCKET	51
PALLMANN® BUCKET PLASTIC LINER	51

CARE AND MAINTENANCE

HARDWOOD FLOOR CLEANING KIT	55
HARDWOOD FLOOR CLEANER	55
HARDWOOD FLOOR CLEANER CONCENTRATE	55
HARDWOOD FLOOR CARE CENTER	56
MAGIC OIL CARE	56
CLEAN STRONG	57
MICROFIBER CLEANING PAD	57
MICROFIBER DUSTING PAD	57

REFERENCES

58



SUBFLOOR PREPARATION

PRIMERS, MOISTURE VAPOR RETARDERS, LEVELING COMPOUNDS



PRIMER/MOISTURE VAPOR RETARDER | PALLMANN® P104 TURBO

1-component polyurethane fast dry primer for wood flooring installations using reaction resin adhesives. This product acts as a primer/surface strengthener on absorbent and non-absorbent surfaces and as a moisture vapor retarder on moisture resistant substrates with an MVER of up to 7 lbs or 90% RH.

SUITABLE FOR:

- a rapid primer prior to glue down wood floor installations
- strengthening of absorbent substrates such as gypsum concrete, concrete, and wood substrates
- moisture vapor retarder up to 7 lbs MVER or 90% RH
- use over radiant floor heating systems (not for moisture mitigation)

Item no.	Package size	Color	Coverage	Applicators/Tools
67467	1 gallon	red	approx. 500 sq. ft./gal.	#9194 Foam Roller, #9394 Nylon Roller, #12494 Roller Frame 10", #12503 Extension Pole



Product Webpage



Application Video



MOISTURE VAPOR RETARDER/PRIMER | PALLMANN® P108 DEFEND

2-component, 100% solids epoxy resin primer and moisture vapor retarder for concrete substrates with high residual moisture and surface hardening primer for absorbent substrates. For interior and exterior use.

SUITABLE FOR:

- a vapor retarder/primer on concrete substrates such as scarified, very dense or smooth concrete, without limitation to a maximum residual moisture value
- a surface hardening primer on absorbent substrates, such as gypsum concrete, and concrete
- a bonding agent on abraded ceramic tile, stone and terrazzo surfaces, existing substrates with well-bonded adhesive residues, smoothing compounds and coatings including water-soluble adhesive residues

Item no.	Package size	Color	Coverage	Applicators/Tools
67511	1.25 gallon	green	200 sq. ft./pail	#9394 Nylon Roller, #12494 Roller Frame 10", #12503 Ext. Pole



Product Webpage



Application Video



Product Webpage



TOOL | EXTENSION POLE

SUITABLE FOR:

- use with Roller Frame 10", Gauge Rake, Spike Roller and Smoother

PROPERTIES:

- 2-piece, heavy duty aluminum construction
- extends from 47" to 82"
- friction fit knuckle

Item no.	Size	Description
12503	from 47" – 82"	for use with 10" Roller Frame Handle



Product Webpage



TOOL | THREADED INSERT FOR TOOLS

Threaded pole insert for use with application tools.

SUITABLE FOR:

- use with standard threaded handles/poles


PROPERTIES:

- durable, hard friction grip rubber, with screw

Item no.	Color	Description
67118	Black	use with tools/threaded handle



Product Webpage



TOOL | COPPER GRINDING DISCS

PALLMANN® COPPER GRINDING DISCS are the perfect solution for removing existing hardened adhesives, smoothing leveling compounds, and light grinding of concrete prior to application of our primers or adhesives.

SUITABLE FOR:

- grinding of gypsum based substrates
- smoothing of leveling compounds
- removal of existing adhesives
- removal of paint or drywall

PROPERTIES:


- achieves CSP of 0 – 1
- copper coated for high grinding capacity
- flattening of OSB
- designed to fit standard 16" buffer

Item no.	Diameter	Description
50849	15"	COPPER GRINDING DISC, Grit 14
13510	15"	COPPER GRINDING DISC, Grit 16
13517	15"	COPPER GRINDING DISC, Grit 24




Application Video





bottom view



top view

TOOL | NINJA DRIVE PLATE

Extremely effective grinding disc for monodisc grinding machines. The PALLMANN® NINJA DRIVE PLATE is specifically designed to tackle the toughest floor grinding projects. The NINJA DRIVE PLATE conveniently fits onto a standard 16" buffer. The PALLMANN® NINJA DRIVE PLATE can achieve a CSP profile 1, which allows substrates to be prepared properly for PALLMANN® moisture mitigation and primer products.

Item no.	Weight	Description
73767	8 lbs	NINJA DRIVE PLATE



Product Webpage



Application Video



Product Webpage



Application Video



68388



68390



68389



68391



75365

TOOL | NINJA DRIVE PLATE SEGMENTS

High quality, long-lasting cutting segments for the NINJA DRIVE PLATE. Easy to change due to the innovative slide-lock system. Diamond and particle embedded for different removal requirements.

SUITABLE FOR:

- removal of thin leveling compounds and coatings
- removal of existing adhesives
- removal of excess paint or drywall dust
- removal of cut-back adhesives

PROPERTIES:

- achieves CSP of 1
- grinding of gypsum based substrates
- grinding of hard or very hard substrates
- high quality long lasting diamonds

Item no.	Weight	Description
68388	1 lb	PCD Scraper, use on adhesives, tile mortars, and leveling compounds (recommended for Hardwood Flooring Contractors)
68390	1 lb	BT K20, for hard to very hard substrates (recommended for Hardwood Flooring Contractors)
68389	1 lb	PCD Split, thin leveling compounds and coatings
68391	1 lb	ES K20, for soft to very soft substrates
75365	1 lb	PCD ULTRA XT orange, for thick adhesives and thick compounds





ADHESIVES

SILANE, POLYURETHANE, SPECIALTY



Product Webpage



Application Video



ADHESIVE | PALLMANN® P5

PALLMANN® P5 is a solvent and water-free, flexible 1-component moisture cured STP (Silane Terminated Prepolymer) hybrid adhesive that combines the powerful flexibility of a PU (polyurethane) adhesive with the advantages of modern MS (modified silane) technology. With an extremely hard, yet flexible ridge, this unique product develops high bond strength yet dissipates shear forces and reduces their damaging effect to the substrate.

SUITABLE FOR:

- prefinished and unfinished engineered wood flooring with no width or length restrictions
- solid flooring applications up to 8" in width
- exotic species

Item no.	Package size	Color	Coverage	Notes
67466	3 gallon metal pail	beige	65 sq. ft./gal.	see page 19 for trowel selection



Product Webpage



Application Video



ADHESIVE | PALLMANN® P7


PALLMANN® P7 is a 1-component polyurethane rapid-setting adhesive with firm ridging and superior green grab. Its foam expansion technology reduces the chances of hollow spots making it suitable for the installation of all types of wood flooring. It is solvent and water-free, eliminating any swelling effect on moisture sensitive wood flooring species.

SUITABLE FOR:

- prefinished and unfinished engineered wood flooring with no width or length restrictions
- solid flooring with no width or length restrictions
- PALLMANN® P7 is recommended for use on sound wood, concrete and gypsum concrete (including radiant heat floor systems)

Item no.	Package size	Color	Coverage	Notes
70935	3 gallon metal pail	beige	65 sq. ft./gal.	see page 19 for trowel selection

ADHESIVES IN THE HARDWOOD COMPLETE SYSTEM:





TONGUE & GROOVE ADHESIVE | PALLMANN® P13

Quick-drying dispersion wood adhesive for gluing the tongue and groove of prefinished wood and laminate flooring. Also suitable for use as a universal wood adhesive on many wood species and wood-based materials. Excellent for gluing wood plugs and dowels. Solvent-free.

SUITABLE FOR:

- gluing the tongue and groove on prefinished and laminate flooring
- floating floors
- universal wood adhesive

Item no.	Package size	Color	Coverage	Notes
70941	28.5 ounce bottle	wood	80 – 500 lf/bottle*	*coverage depends on size of tongue and groove



Product Webpage



Product Webpage



TOOL | US-STYLE TROWEL B11

U.S. Style B11 adhesive trowel.

SUITABLE FOR:

- applying PALLMANN® wood floor adhesives
- installing 3/4" strip, plank; prefinished, unfinished or engineered

PROPERTIES:

- stainless steel construction
- comfort grip handle
- notch size: 3/16" x 1/4" x 5/16"

Item no.	Package size	Shipping Unit	Weight
52900	6/pkg	1 pkg.	1 lb.



ADHESIVE REMOVER WIPES | PALLMANN® CLEAN BOX

Citrus-based cleaning wipes for the gentle removal of adhesive residues from hardwood, glazed tile, rubber or PVC floor coverings. Especially effective on fresh residues of urethane and silane based adhesives. PALLMANN® cleaning wipes are also effective for cleaning hands, tools and machinery.

Item no.	Package size	Color	Shipping Unit	Notes
70933	plastic drum/72 cloths	blue	6 drums/ctn	fully cured adhesive will need to be removed by mechanical means



Product Webpage



Product Webpage #41784



TOOL | TROWEL HANDLE

ErgoStar trowel handles (uses replacement inserts).

SUITABLE FOR:

- applying PALLMANN® wood floor adhesives and MVR's

PROPERTIES:

- ergonomic handle reduces arm fatigue
- durable, stainless steel construction

Item no.	Size	Package size	Shipping Unit	Weight
41784	8" (21 cm)	1/pkg	1 pkg.	1 lb.
41787	11" (28 cm)	1/pkg	1 pkg.	1 lb.



Product Webpage #41787



Product Webpage



B2 Trowel Notch
3/32" x 3/32" x 3/32"



B3 Trowel Notch
1/8" x 1/8" x 1/8"



B11 Trowel Notch
3/16" x 3/16" x 5/16"

TOOL | TROWEL INSERTS

Tempered spring steel replacement inserts for ErgoStar trowel handles.

SUITABLE FOR:

- applying PALLMANN® P108 epoxy resin MVR (B2)
- applying PALLMANN® wood floor adhesives (B3 & B11)

Item no.	Size	Application	Package Size	Shipping Unit
13371	B2, 8" (21 cm)	for PALLMANN® P108 epoxy resin MVR	10/pkg.	1 pkg.
13386	B2, 11" (28 cm)	for PALLMANN® P108 epoxy resin MVR	10/pkg.	1 pkg.
13372	B3, 8" (21 cm)	mosaics/parquet or smooth back engineered and underlayment	10/pkg.	1 pkg.
13387	B3, 11" (28 cm)	mosaics/parquet or smooth back engineered and underlayment	10/pkg.	1 pkg.
13380	B11, 8" (21 cm)	3/4" strip or plank up to 7"; pref., unf. or engineered w/relief back	10/pkg.	1 pkg.
13399	B11, 11" (28 cm)	3/4" strip or plank up to 7"; pref., unf. or engineered w/relief back	10/pkg.	1 pkg.





MACHINES **AND ACCESSORIES** **WOOD FLOOR SANDING MACHINES AND TOOLS**



Product Webpage



Application Video



SANDING MACHINE | PALLMANN® SPIDER

The PALLMANN® SPIDER is a planetary gearing, powerful drive sanding machine that ensures a perfectly sanded surface. The multi-purpose PALLMANN® SPIDER is extremely easy to use and quiet in operation. Excellent dust containment allows for easy connection to dust containment systems.

FEATURES:

- advanced magnetic motor
- variable RPM 80-400 RPM
- low profile design
- large transport tires
- easy adjustable handle
- chain-drive sanding discs
- versatile sanding machine

BENEFITS:

- maximum power delivery
- perfect sanding results
- more controllable machine design
- easy transportation
- less operator fatigue / ergonomic design
- can perform duties of sanding machine, edger and buffer

Item no.	Included items	Technical Data
80385	Pallmann Spider, Triple Disc Plate, Single Disc Plate, Dust Skirt, 1 Additional Weight, 40' Cord, 3 Support Pads, Tool Kit, Spider Sanding Pack by Norton	2.7 hp motor, 16" width of sanding, 80 - 400 RPM (Variable), total weight: 88 lbs, additional weight: 31 lbs, triple disc weight: 37 lbs, 230V/60Hz
72225	Additional Weight	31 lbs

ADDITIONAL WEIGHT

- Additional weight 31 lbs
- One weight included

DUST SKIRT

- Maximum dust containment design
- Ridged material

SINGLE DISC PLATE

- Standard 16" single buffer plate

SPIDER TRIPLE DISC PLATE

- Stainless steel chain
- Hook and loop backed 7" steel plate discs
- Low Maintenance design

SPIDER SANDING PACK

- 50 grit NORTON **REDHEAT**
- 60 grit NORTON **REDHEAT**
- 80 grit NORTON **REDHEAT**
- 100 grit NORTON **REDHEAT**

SUPPORT PADS

- 7" support pad
- Three included with delivery
- Maximum dust containment design




COMPLETE SANDING MACHINE

The PALLMANN SPIDER triple disc technology with planetary gearing is a revolution in floor sanding. Variable RPM speed, additional weights, and a powerful motor allow the PALLMANN SPIDER to be a complete sanding machine start to finish. The low profile design ensures that the PALLMANN SPIDER will be efficient even in the smallest areas.



SINGLE PLATE

The single buffing plate combined with low machine weight allows the PALLMANN SPIDER to be used for various sanding and finishing applications..



Product Webpage



Application Video



8" SANDING MACHINE | PALLMANN® COBRA

Powerful 5 HP 8" belt sander. The PALLMANN® COBRA sanding machine comes with many innovative new features including left and right drum levers, LED ready light, upgraded fine feathering handle, carrying handles front and rear and a totally enclosed aluminum-finned German motor with slow start capability. The unit's single drive belt technology is unique in the industry and delivers maximum power transfer to the drum.

FEATURES:

- single serpentine drive belt
- industry best feathering handle
- variable sanding pressure adjustment
- high fan capacity

BENEFITS:

- provides maximum power to drum
- smooth, easy drum operation
- correct surface preparation
- efficient dust containment

Item no.	Included items	Technical Data
75491	COBRA 8" Belt Sander, Abrasive Belts, Travel Bag, Tool Bag, Dust Bag, 50 ft. Cable, DCS Hose Connection Adaptor	230 V, 60 Hz Belt Sander, 2,550 rpm drum speed, 5 HP aluminum-finned German motor, weight 195 lbs, Abrasive belt dimensions: 7-7/8" x 29-1/2"



Product Webpage



Application Video



10" SANDING MACHINE | PALLMANN® KING COBRA

Powerful 5 HP 10" belt sander. The PALLMANN® KING COBRA sanding machine comes with many innovative new features including left and right drum levers, LED ready light, upgraded fine feathering handle, carrying handles front and rear and a totally enclosed aluminum-finned German motor with slow start capability. The unit's single drive belt technology is unique in the industry and delivers maximum power transfer to the drum.

FEATURES:

- single serpentine drive belt
- industry best feathering handle
- variable sanding pressure adjustment
- high fan capacity

BENEFITS:

- provides maximum power to drum
- smooth, easy drum operation
- correct surface preparation
- efficient dust containment

Item no.	Included items	Technical Data
75501	KING COBRA 10" Belt Sander, Abrasive Belts, Travel Bag, Tool Bag, Dust Bag, 50 ft. Cable, DCS Hose Connection Adaptor	230 V, 60 Hz Belt Sander, 2,550 rpm drum speed, 5 HP aluminum-finned German motor, weight 215 lbs, Abrasive belt dimensions: 9-7/8" x 29-1/2"



Product Webpage



Application Video



8" SANDING MACHINE | PALLMANN® COBRA II

The next generation PALLMANN® COBRA II sanding machine delivers a smooth, aggressive sanding experience while providing special safety and comfort features. The sleek chassis and handle design provide quieter operation, improved sight lines, closer wall operating tolerances and adjusts to the user's individual height and stride. The unit's single drive belt technology is unique in the industry and delivers maximum power transfer to the drum. Its on-off and emergency switches, as well as the voltmeter and capacitors, are located at the handle for improved safety and convenience.

FEATURES:

- single serpentine drive belt
- industry best feathering handle
- variable sanding pressure adjustment
- high fan capacity
- detachable handle and motor

BENEFITS:

- provides maximum power to drum
- smooth, easy drum operation
- efficient dust containment
- correct surface preparation
- easy to transport

Item no.	Included items	Technical Data
52552	COBRA II 8" Belt Sander, Abrasive Belts, Travel Bag, Tool Bag, Dust Bag, 100 ft. Cable, DCS Hose Connection Adapter	230 V, 60 Hz Belt Sander, 2,550 rpm drum speed, 5 HP aluminum-finned German motor, weight 212 lbs, Abrasive belt dimensions: 7-7/8" x 29-1/2"



Product Webpage



ACCESSORIES | TRAVEL BASE

SUITABLE FOR:

- safely transporting all COBRA and Pro Sanding machines in a vehicle

PROPERTIES:

- tough, heavy duty HDPE plastic construction
- comes with tie-down strap

Item no.	Description	Weight
64387	Travel Base/All COBRA & ProSand machines	15 lbs



Product Webpage



ACCESSORIES | DUST BAG

SUITABLE FOR:

- COBRA II, COBRA 8", and KING COBRA 10" sanding machine

PROPERTIES:

- durable cotton canvas construction
- heavy duty zippers

Item no.	Description	Weight
48330	fits COBRA & KING COBRA sanding machines	1 lb
61421	fits COBRA II sanding machine	1 lb



Product Webpage



Application Video



EDGER | PALLMANN® GECKO STAR 2.0

The PALLMANN® GECKO STAR 2.0 edger is a lightweight yet powerful edger which features tool-free adjustment of wheels to provide the correct sanding pressure for any project. Dual lights allows for enhanced jobsite visibility, and the low decibel rating motor provides jobsite comfort. Hook and loop skirt attachments provide excellent dust containment.



FEATURES:

- extended sanding frame
- 2.4 hp motor
- total weight 24 lbs
- non marking urethane wheels
- low decibel rating
- built-in lights
- tool-free wheel adjustment

BENEFITS:

- great for sanding under cabinets
- aggressive cutting action
- lightweight, easy to use
- will not damage sanding surface
- quiet jobsite operation
- increased jobsite visibility
- sanding pressure can be adjusted quickly

Item no.	Included items	Technical Data
67301	PALLMANN® GECKO STAR 2.0	2.4 hp motor, 7" Sanding Disc, 4200 RPM, Total weight 24 lbs, 110 V/60 Hz



Product Webpage



EDGER | PALLMANN® GECKO STAR 2.0 (R)

The PALLMANN® GECKO STAR 2.0 edger is a lightweight yet powerful edger which features tool-free adjustment of wheels to provide the correct sanding pressure for any project. Dual lights allow for enhanced jobsite visibility, and the low decibel rating motor provides jobsite comfort. Hook and loop skirt attachments provide excellent dust containment.

FEATURES:

- extended sanding frame
- 2.4 hp motor
- total weight 24 lbs
- non marking urethane wheels
- low decibel rating
- built-in lights
- tool-free wheel adjustment

BENEFITS:

- great for sanding under cabinets
- aggressive cutting action
- lightweight, easy to use
- will not damage sanding surface
- quiet jobsite operation
- increased jobsite visibility
- sanding pressure can be adjusted quickly

Item no.	Included items	Technical Data
83668	PALLMANN® GECKO STAR 2.0 (R)	2.4 hp motor, 7" Sanding Disc, 4200 RPM, Total weight 24 lbs, 110 V/60 Hz





FLOOR CLEANING MACHINE | PALLMANN® TURBO SCRUBBER

The PALLMANN® TURBO SCRUBBER is a powerful yet lightweight scrubbing machine. When used in conjunction with PALLMANN® CLEAN STRONG and PALLMANN® HARDWOOD FLOOR CLEANER, it can remove the toughest contaminants, dirt, and build up that are often found on Hardwood Floors. The powerful vacuum system and reserve tank ensures that no residue will be left on the floor during operation. The TURBO SCRUBBER is designed to enhance the PALL-X BOND recoat adhesion system and PALLMANN Clean N Prep MAGIC OIL 2K to be completed with increased efficiency.

FEATURES:

- compact design
- dual rotating brushes
- dual squeegee system
- large transport tires
- ergonomically designed tanks
- adjustable brush pressure

BENEFITS:

- easy operation in confined areas
- maximum cleaning effectiveness
- no residue damage to surface
- easy transportation
- easy to fill, empty, clean
- adaptable to all floor conditions

Item no.	Included items	Technical Data
10591	Two white nylon brushes, two sets of squeegees, 65' power cord, manual	115 volts, 66 lbs empty, 1,450 brush RPM, 2.5 gallon capacity, 2x16" soft white nylon scrubbing brush
84071	Red Aggressive Roller Brush	2.6 lbs, 400 mm



ACCESSORIES | PALLMANN® WAIST BELT

Safety/Back support for use with belt sanders. Extra wide padded back, quick release clips, tough nylon construction.



Item no.	Description	Weight
51251	waist belt size medium, fits 32 – 36"	2 lbs
51252	waist belt size large, fits 37 – 41"	2 lbs
51253	waist belt size extra large, fits 42 – 46"	2 lbs



TOOL | HARDWOOD PULLING IRON

SUITABLE FOR:

- pulling hardwood tight in areas close to walls or obstructions

PROPERTIES:

- zinc plated with felt backing
- 17" long

Item no.	Description	Weight
15832	Hardwood Pulling Iron 17"	4 lbs



TOOL | HARDWOOD SLIDE HAMMER

SUITABLE FOR:

- work in areas that are difficult to reach

PROPERTIES:

- Length – 16"
- Tapping block, hammer bar and hammer all-in-one

Item no.	Description	Weight
13626	slide hammer tool for wood floor installation	7 lbs



TOOL | HARDWOOD TAPPING BLOCK

SUITABLE FOR:

- tapping together wood flooring pieces without damaging floor

PROPERTIES:

- made of durable, shatterproof plastic

Item no.	Description	Weight
15852	tapping block for wood floor installation	1 lb





SURFACE TREATMENT

FILLERS, SEALERS AND FINISHES



Product Webpage



Application Video

FINISH | PALL-X GOLD

PALLMANN® PALL-X GOLD is a 2-component waterborne hardwood floor finish with unmatched durability and chemical resistance. Ideal for high-wear commercial and residential applications.



FEATURES:



- unmatched durability
- superior flow and leveling
- exceptional build
- quick cure times
- clear

BENEFITS:

- ideal for commercial or residential applications
- very forgiving, easy to apply
- deep, rich finished appearance
- fully cured in 3 days
- will not amber over time

Item no.	Package size	Sheen	Coverage	Notes
163134	Component A: .91 gallon Component B: .09 gallon	matte	450 – 500 sq. ft./gal.	Application Tools: T-bar applicator, cut-in pad, Item #12495 Waterborne Roller, Item #12494 Roller Frame 10", or brush
163132	Component A: .91 gallon Component B: .09 gallon	satin	450 – 500 sq. ft./gal.	
163133	Component A: .91 gallon Component B: .09 gallon	semi-gloss	450 – 500 sq. ft./gal.	

SYSTEM RECOMMENDATION:





Product Webpage



Application Video

FINISH | PALL-X PURE

PALLMANN® PALL-X PURE is a 2-component waterborne hardwood floor finish for commercial or residential use when a ultra matte appearance is desired .



FEATURES:


- high wear and durability
- one sheen ultra matte
- superior flow and leveling
- fast drying and curing
- low odor
- not UV sensitive

BENEFITS:


- ideal for high-wear commercial and residential applications
- very low sheen appearance to wood species
- very forgiving, easy to apply
- allows for light foot traffic in 6 hours, fully cured in 7 days
- non-offensive on jobsites
- will not amber over time

Item no.	Package size	Sheen	Coverage	Notes
10548	Component A: .91 gallon Component B: 0.09 gallon	ultra matte	500 – 550 sq. ft./gal.	Application Tools: #12495 PALLMANN Waterborne Roller only

SYSTEM RECOMMENDATION:



White Oak





Product Webpage



Application Video

FINISH | PALL-X POWER

PALLMANN® PALL-X POWER is a clear waterborne finish for commercial or residential applications. Advances in resin and polymer chemistry have been specifically designed into PALL-X POWER to give this finish the power of a two-component finish PLUS the ease of use of a single component product.



FEATURES:

- high durability, chemical resistance
- no hardener
- clear
- quick cure times
- superior flow and leveling

BENEFITS:

- ideal for commercial or residential applications
- no waste
- will not amber over time
- fully cured in 5 days
- very forgiving, easy to apply



Item no.	Package size	Sheen	Coverage	Notes
83526	1 gallon	ultra matte	450 – 500 sq. ft./gal.	Application Tools: T-bar applicator, cut-in pad, Item #12495 Waterborne Roller, Item #12494 Roller Frame 10", or brush
81646	1 gallon	satin	450 – 500 sq. ft./gal.	
83726	1 gallon	semi-gloss	450 – 500 sq. ft./gal.	
83527	1 gallon	gloss	450 – 500 sq. ft./gal.	

WHAT IS POWER PLUS TECHNOLOGY?

Advances in resin and polymer chemistry have been specifically designed into PALL-X POWER to give this waterborne finish two-component strength in a convenient, single-component product. This innovative formulation creates a strong, protective grid across the entire floor surface that provides the ultimate wear resistance, and outstanding chemical resistance while its superior flow and leveling properties leave a floor that is stunningly beautiful.



SYSTEM RECOMMENDATION:





Product Webpage



Application Video

FINISH | PALL-X 96 NEXGEN

PALLMANN® PALL-X 96 NEXGEN is a 1-component waterborne hardwood floor finish for residential or light commercial applications. This highly durable finish has excellent wear and chemical resistance and provides a deep, rich appearance.



FEATURES:


- exceptional flow & leveling
- clear
- fast drying
- low odor
- superior build

BENEFITS:

- extremely forgiving
- will not amber over time
- accepts light foot traffic in 3 – 4 hours
- non-offensive on jobsites
- deep, rich, finished appearance

Item no.	Package size	Sheen	Coverage	Notes
42222	1 gallon	matte	450 – 500 sq. ft./gal.	Application Tools: T-bar applicator, cut-in pad, Item #12495 Waterborne Roller, Item #12494 Roller Frame 10", or brush
42221	1 gallon	satin	450 – 500 sq. ft./gal.	
14381	1 gallon	semi-gloss	450 – 500 sq. ft./gal.	

SYSTEM RECOMMENDATION:





Product Webpage



Application Video



SEALER | PALL-X NATURESEAL

Waterborne, 1-component sealer ideal for use on lighter color species or where an untreated wood appearance is desired.

FEATURES:

- fast drying, easy application
- good penetration/filling
- provides untreated wood appearance
- can be abraded
- tannin blockers

BENEFITS:

- saves time, very forgiving
- minimizes risk of sidebonding
- allows wood to have untreated appearance while providing protection
- reduces time of intercoat abrading finishes.
- eliminates tannin pull in wood species such as white oak

Item no.	Package size	Color	Coverage	Notes
10544	1 gallon	milky white when wet, dries clear	500 - 550 sq. ft./gal.	Application Tools: #12495 PALLMANN Waterborne Roller only



Product Webpage



Application Video



SEALER | PALL-X WHITESEAL

Waterborne, 1-component sealer ideal for use on lighter color species or where an arctic wood appearance is desired.

FEATURES:

- fast drying, easy application
- good penetration/filling
- contains small amount of white pigment
- can be abraded
- tannin blockers

BENEFITS:

- saves time, very forgiving
- minimizes risk of sidebonding
- wood has arctic appearance while still providing protection
- reduces time of intercoat abrading finishes.
- eliminates tannin pull in wood species such as white oak

Item no.	Package size	Color	Coverage	Notes
10543	1 gallon	milky white when wet, dries clear	500 - 550 sq. ft./gal.	Application Tools: #12495 PALLMANN Waterborne Roller only



Red Oak



White Oak





Product Webpage



Application Video



SEALER | PALL-X COLOR

Waterborne, 1-component sealer ideal for use on stained floor and where color enhancement of wood floor is desired.

FEATURES:

- fast drying, easy application
- good penetration/filling
- enhances stain color
- may be abraded
- tannin blockers

BENEFITS:

- saves time, very forgiving
- minimizes risk of sidebonding
- allows stain color to increase in vibrancy and depth
- reduces time of intercoat abrading finishes
- eliminates tannin pull in wood species such as white oak

Item no.	Package size	Color	Coverage	Notes
78861	1 gallon	milky white when wet, clear but color enhancing when dry	450 – 500 sq. ft./gal.	Application Tools: T-bar applicator, cut-in pad, Item #12495 Waterborne Roller, Item #12494 Roller Frame 10", or brush



Product Webpage



Application Video



SEALER | PALL-X CLEAR

Waterborne, 1-component sealer ideal for use on lighter color wood species, white or pastel's stains, and where a clear natural look is desired.

FEATURES:

- fast drying, easy application
- clear when dry
- excellent build & leveling
- may be abraded
- good penetration/filling qualities

BENEFITS:

- saves time, very forgiving
- allows all wood species' natural color to come through
- produces great appearance when used with PALLMANN® waterborne finishes
- reduces time of intercoat abrading finishes
- minimizes risk of sidebonding

Item no.	Package size	Color	Coverage	Notes
42225	1 gallon	milky white when wet, clear when dry	450 – 500 sq. ft./gal.	Application Tools: T-bar applicator, cut-in pad, Item #12495 Waterborne Roller, Item #12494 Roller Frame 10", or brush



Product Webpage



Application Video



FILLER | PALL-X KITT

Water-based joint filler compound that is mixed with sanding dust and used for joint and trowel filling of wood floors. It is suitable for strip, plank and parquet flooring of all species where color matching is important and where filler stability and adhesion are vital. PALL-X KITT's viscous, paste-like mixture is rated for radiant heat floor systems.

FEATURES:

- uses sanding dust from floor
- ready to use, fast drying formula
- no-clog formula
- high viscosity

BENEFITS:

- perfect color matching
- saves time
- will not load or waste abrasives
- holds well in gaps

Item no.	Package size	Color	Coverage	Notes
42195	1 gallon	milky yellow when wet, color-matched to species when dry	approx. 400 sq. ft./gal.	Application Tool: Item #12506 Stainless Steel Trowel



Product Webpage



Application Video

OIL FINISH | MAGIC OIL 2K

PALLMANN® MAGIC OIL 2K is a 2-component hardened oil penetrating finish for residential and commercial applications. It provides a velvety, matte finish that repels dirt and water and gives the floor a rich, European hand-rubbed appearance.



FEATURES:

- 2-component
- 7 base colors
- low V.O.C.'s
- diffusive
- velvety, matte sheen

BENEFITS:

- fast drying and chemical resistant
- unlimited design options
- safe, non-offensive on jobsite
- will not leave applicator marks. Blends with existing MAGIC OIL 2K
- European, hand-rubbed look




Item no.	Package size	Color	Coverage	Notes
164464	0.81 liter	MAGIC OIL 2K - Neutral Component A	approx. 350 – 500 sq. ft./liter	Application Tools: Item #12506 Stainless Steel Trowel, buffer with red and white pads
164470	0.81 liter	MAGIC OIL 2K - Black Component A	approx. 350 – 500 sq. ft./liter	
164465	0.81 liter	MAGIC OIL 2K - White Component A	approx. 350 – 500 sq. ft./liter	
164466	0.81 liter	MAGIC OIL 2K - Grey Component A	approx. 350 – 500 sq. ft./liter	
164467	0.81 liter	MAGIC OIL 2K - Red Brown Component A	approx. 350 – 500 sq. ft./liter	
164468	0.81 liter	MAGIC OIL 2K - Dark Brown Component A	approx. 350 – 500 sq. ft./liter	
164469	0.81 liter	MAGIC OIL 2K - Black Brown Component A	approx. 350 – 500 sq. ft./liter	Hardener (Comp B only) for Colors or Neutral
164472	0.19 liter	MAGIC OIL 2K - Hardener Component B	approx. 350 – 500 sq. ft./liter	

PALLMANN MAGIC OIL components A & B are sold separately in a case of six (6) units each.

BASE COLORS:




Neutral




Black



White



Grey



Black Brown



Red Brown



Dark Brown

NOTE:


Color samples are for reference only. Always do a test area with a MAGIC OIL 2K color tester puck prior to final color selection.



White Tundra Arctic Grey Mesa Wheat Sandstorm Baja



Neutral



Cape Cod

MAGIC OIL 2K BE INSPIRED


MAGIC OIL 2K is a wood floor finish with natural oils that penetrate deep into your wood floor to provide a warm, velvety, low-sheen surface that stands up to life's daily activities. Available in 7 base colors that can be blended for endless color selections, or choose from 39 of our most popular combinations. YOUR HOME is an extension of your personality YOUR WOOD FLOOR finish should be too.




Driftwood Desert Sand Grey Barnwood Cobblestone Pecan Harvest Meadow




Hawthorne Autumn Gold Red Brown Dark Brown Black Brown Adobe Canyon



Hill Country Smokehouse Mission Brown Aged Oak Burnished Brown Saddle Chestnut



Whiskey Barrel Harvest Brown Charcoal Leather Cafe Slate Walnut



Espresso Tobacco Sable Midnight Frost Merlot Onyx Black



Product Webpage Tester Pucks



Product Webpage Color Pack



OIL FINISH | COLOR TESTER PUCKS

SUITABLE FOR:

- samples and small areas.
- Contains 75 ml and covers approximately 32 sq. ft. per puck.

Item no.	Package size	Color
38051	9 x 75 ml pucks	MAGIC OIL 2K Neutral
66759	9 x 75 ml pucks	MAGIC OIL 2K Black
66760	9 x 75 ml pucks	MAGIC OIL 2K White
66757	9 x 75 ml pucks	MAGIC OIL 2K Grey
66758	9 x 75 ml pucks	MAGIC OIL 2K Red Brown
66756	9 x 75 ml pucks	MAGIC OIL 2K Dark Brown
82133	9 x 75 ml pucks	MAGIC OIL 2K Black Brown
89063	7 x 75 ml pucks and one 0.20 ml hardener	One of each MAGIC OIL 2K color



Product Webpage



TOOL | STAINLESS STEEL TROWEL

SUITABLE FOR:

- application of MAGIC OIL 2K finish

Item no.	Package size	Description
12506	6/ctn	Applicator, 10-5/8" x 5-1/2", stainless steel trowel



Product Webpage



CLEANING | MAGIC OIL CLEAN N PREP

SUITABLE FOR:

- deep cleaning of a MAGIC OIL 2K floor prior to recoating

Item no.	Package size	Color
42633	1 quart plastic bottle	clear



Application Video



Product Webpage



CLEANING | MAGIC OIL CARE

SUITABLE FOR:

- Ready to Use Formula
- periodic cleaning of a MAGIC OIL 2K floor

Item no.	Package size	Color
42635	32 oz. squirt bottle	milky when wet, clear when dry



Product Webpage



Application Video

RECOAT ADHESION SYSTEM | PALL-X BOND



PALLMANN® PALL-X BOND Recoat Adhesion System is a 2-component waterborne bonding agent for recoating factory pre-finished or site finished wood flooring. PALL-X BOND is designed to provide an optimum bonding surface between existing and new finish coats without abrading in most cases.




SUITABLE FOR RECOATING:

- most factory prefinished wood flooring
- hand-scraped, beveled edge, wire brushed and distressed surface wood flooring
- wood floors coated with PALLMANN® MAGIC OIL 2K
- wood floors coated with PALLMANN® waterborne finishes
- wood floors coated with oil modified or waterborne finishes

FORMULATED FOR USE WITH PALLMANN® WATERBORNE FINISHES

Item no.	Package size	Color	Coverage	Notes
62751	1 kit	milky when wet, clear when dry	600 – 800 sq. ft./liter	Contents: Comp. A (.75 L), Comp. B (.25 L), Clean Strong (Qt), Roller Frame 10", Roller Cover 10", Roller Frame 2", Roller Cover 2" (2), Mixing Containers (2), Mixing Sticks, Test Kit, Instructions





ACCESSORIES | PALL-X GOLD/PURE MIX BOTTLE

SUITABLE FOR:

- mixing small quantities of PALL-X GOLD/PURE waterborne finish

PROPERTIES:

- 32 oz, HDPE plastic container with lid
- graduated markings for 56 SF and 112 SF

Item no.	Description	Unit/Ctn
74202	PALL-X GOLD/PURE mixing bottle	6



Product Webpage



Product Webpage



TOOL | PALL-X BOND ROLLER

SUITABLE FOR:

- applying PALL-X BOND bonding agent

PROPERTIES:

- nylon fiber
- 10" length

Item no.	Description	Unit/Ctn
12496	applicator, 2-1/4" diam., 3/16" nap, disp.	1



TOOL | ROLLER FRAME 10"

SUITABLE FOR:

- use with #9194, #9394, #12493, #12496 and #12495 roller covers

PROPERTIES:

- heavy duty steel bayonet style frame
- tough plastic handle

Item no.	Description	Unit/Ctn
12494	10" bayonet style roller frame	1



Product Webpage



Product Webpage



TOOL | WATERBORNE ROLLER

SUITABLE FOR:

- applying all PALLMANN® waterborne finishes

PROPERTIES:

- synthetic fiber
- 10" length

Item no.	Description	Unit/Ctn
12495	applicator, 2-3/4" diam., 3/8" nap	12



Product Webpage



ACCESSORIES | APPLICATOR TUBES


SUITABLE FOR:

- storing waterborne rollers

PROPERTIES:

- translucent polyethylene plastic
- screw top lid

Item no.	Description	Unit/Ctn
13814	standard storage tube (narrow)	1





CARE AND MAINTENANCE

HARDWOOD FLOOR CLEANER, MAGIC OIL CARE



Product Webpage



Application Video



CLEANING | HARDWOOD FLOOR CLEANING KIT

Kit contains PALLMANN's proprietary, residue-free cleaner specifically designed for cleaning all types of urethane finished hardwood floors including MAGIC OIL 2K finished floors; 4-pc quick connect handle; sturdy, plastic mop base with hook & loop feature; microfiber cleaning pad; microfiber dusting pad and floor care guide.

FEATURES:

- non-toxic, zero VOCs
- fresh lemon scent
- dries in minutes
- 100% microfiber cleaning pad
- electrostatically charged dusting pad



Item no.	Includes	Packaging	Notes
64691	cleaner, mop, mop pole, cleaning pad, dusting pad, guide	8 per carton	safe for most hard surfaces



Product Webpage



Application Video



CLEANING | HARDWOOD FLOOR CLEANER

PALLMANN® Hardwood Floor Cleaner is a non-toxic, streak-free pH neutral formula for daily cleaning and maintenance of residential and commercial no-wax wood floor finishes including oil modified and waterborne polyurethanes and factory prefinished floors. PALLMANN® HARDWOOD FLOOR CLEANER is also recommended for daily maintenance of PALLMANN® MAGIC OIL 2K finished wood floors.

FEATURES:

- fully compatible for use on PALLMANN® MAGIC OIL 2K finish
- exclusive neutral pH waterbased streak-free formula
- great for daily cleaning of waterborne, solvent polyurethane and Swedish finishes
- fresh lemon scent



Item no.	Size	Color	Packaging	Notes
54099	32 oz. spray bottle	clear	6 per carton	residue free



Product Webpage



CLEANING | HARDWOOD FLOOR CLEANER CONCENTRATE

PALLMANN® HARDWOOD FLOOR CLEANER CONCENTRATE is a non-toxic, streak-free pH neutral formula for daily cleaning and maintenance of residential and commercial no-wax wood floor finishes including oil modified and waterborne polyurethanes and factory prefinished floor products. PALLMANN® HARDWOOD FLOOR CLEANER is also recommended for daily maintenance of PALLMANN® MAGIC OIL 2K wood floor finish.

FEATURES:

- easy to dilute, 1 gallon of concentrate makes 8 gallons of ready-to-use cleaner
- fully compatible for use on PALLMANN® MAGIC OIL 2K finish
- exclusive neutral pH waterbased streak-free formula
- great for daily cleaning of waterborne, solvent polyurethane and Swedish finishes

Item no.	Size	Color	Packaging	Notes
62244	1 gallon	clear	4 per carton	ideal for large scale commercial applications



CLEANING | HARDWOOD FLOOR CARE CENTER

FEATURES:

- **PALLMANN® Hardwood Floor Cleaning Kit** – Kit contains Pallmann’s proprietary, residue-free cleaner specifically designed for cleaning all types of urethane finished hardwood floors including MAGIC OIL 2K finished floors, 4-pc quick connect handle, Sturdy, plastic mop base w/hook & loop feature, Microfiber cleaning pad, Microfiber dusting pad and Floor care guide. **32 kits per display**
- **PALLMANN® Hardwood Floor Cleaner 32oz spray** – This is our proprietary, residue-free blend for use on all urethane finished floors and MAGIC OIL 2K finished floors. **12 bottles per display**
- **PALLMANN® Microfiber Cleaning Pad** – We use a special microfiber blend that delivers aggressive cleaning action and absorption without causing ‘drag’ for the user. **16 pads per display**
- **PALLMANN® Microfiber Dust Pad** – Statically charged microfibers lift and attract dust and allergens. **16 pads per display**
- **PALLMANN® Floor Care Guides** – Provides cleaning tips and information on caring for hardwood floors. **25 per display**

Item no.	Description	Weight	Dimensions
69108	Hardwood Floor Care Center	175 lbs	70"H x 28"W x 20"D



MAINTENANCE | MAGIC OIL CARE

PALLMANN® MAGIC OIL CARE is a water-based oil/wax emulsion formulated to refresh and protect wood floor surfaces finished with PALLMANN® MAGIC OIL 2K. Application frequency will be dependent on the floor’s location and level of use. MAGIC OIL CARE is not intended as a daily care product but only for occasional use to maintain the floor’s desired appearance.

FEATURES:

- MAGIC OIL CARE may be applied undiluted in heavy traffic areas or on floors that sustain heavy commercial wear
- average application frequency for residential floors is approximately 6 months. Heavy use commercial areas may require more frequent use
- regular maintenance with PALLMANN® MAGIC OIL CARE improves the visual appearance and increases the wear life of wood floors finished with MAGIC OIL 2K

Item no.	Size	Color	Dilution Ratio	Notes
11608	32 oz. squirt bottle	milky when wet, clear when dry	*various	Ready to Use

CLEANING | CLEAN STRONG

PALLMANN® CLEAN STRONG is a cleaning emulsion specially formulated to remove surface contamination from wood floors including dirt, grease, some waxes, acrylics and most maintenance products in preparation for the application of PALLMANN® PALL-X BOND Recoat Adhesion System. For professional use only.

SUITABLE FOR:

- site finished or factory finished wood flooring, solid or engineered
- finished cork flooring



Item no.	Size	Color	Dilution Ratio	Notes
42634	32 oz. squirt bottle	clear	*various	*from 1:10 to full strength

CLEANING | MICROFIBER CLEANING PAD

Replacement cleaning pad for PALLMANN® HARDWOOD MOP. Microfibers work with cleaner to remove tough dirt & grime.

FEATURES:

- superior absorbency
- reusable & washable – environmentally responsible
- fits the PALLMANN® MOP BASE
- use with PALLMANN® HARDWOOD FLOOR CLEANER



Item no.	Microfiber content	Packaging	Notes
68038	proprietary blend of cut pile and loop, 100% split microfiber	8 per carton	do not use fabric softener when laundering

CLEANING | MICROFIBER DUSTING PAD

Replacement dusting pad for PALLMANN® HARDWOOD MOP. Electrostatically charged microfibers lift & attract dust & allergens.

FEATURES:

- fits the PALLMANN® MOP BASE
- reusable & washable
- environmentally responsible



Item no.	Microfiber content	Packaging	Notes
68039	electrostatically charged, 100% microfiber	8 per carton	do not use fabric softener when laundering

REFERENCES



Private Residence, Salt Lake City, UT

Wood Floors Inc. of Murray, Utah used a special reactive stain to transform this wood floor into a work of art. A two-tone blend of MAGIC OIL 2K was then applied and the results are a breathtaking transformation of the space into a vibrant living area.



See More Pictures



Blue Llama Jazz Club, Ann Arbor, MI

Ann Arbor Hardwoods of Ann Arbor, Michigan wonderfully restored this floor for the Blue Llama Jazz Club. The owners wanted a finish that was as smooth and unique as the music played within their walls. MAGIC OIL 2K was the perfect choice for durability, repairability, and maintenance in this commercial setting. The beautiful blend of colors sets the tone and the stage to highlight artists as they take center stage.



See More Pictures

REFERENCES



Private Residence, Orlando, FL

Heffernan Hardwood of Orlando, Florida applied PALL-X COLOR sealer and PALL-X POWER to this beautiful Brazilian Cherry Parquet flooring. The attention to detail in finishing matches the detail in the rooms that this wood surrounds. Simply stunning!



See More Pictures



Private Residence, Nashville, TN

Southern Oaks Flooring of Nashville, Tennessee finished this Reclaimed Flooring project with PALL-X CLEAR and PALL-X POWER - Ultra Matte. The owner requested the wood remain as natural as possible, the results are simply amazing.



See More Pictures

REFERENCES



BrotHaus, Rothenburg o. d. Tauber, Germany

3552 sq. ft. renovation of a restaurant using MAGIC OIL 2K on Spruce



See More
Pictures



Private Residence, Doorn, Netherlands

Oak floors refinished with PALL-X PURE.



See More
Pictures


SUPPORT

Please visit us.pallmann.net to locate distributors, repair centers, stay up to date on current events, and also get the latest digital downloads.



CONNECT WITH US

us.pallmann.net



Uzin Utz AG

● Produktionsgesellschaften | manufacturing companies
● Vertriebsgesellschaften | sales companies



Watch the Uzin Utz Corporate Video

Uzin Utz AG, a publicly traded family owned company, developed from a small, regional adhesive manufacturer into one of the world's leading manufacturers of installation products. **The core focus of Uzin Utz AG is producing cutting edge technology system based installation systems for the flooring installer.**

Uzin Utz AG has expanded and acquired new brands and products to position the company as a full-range supplier and system partner in the flooring industry. Under the Uzin, Wolff, Pallmann, Arturo, Codex, RZ, and Pajarito brands, we supply a comprehensive range of products, systems and services for the, renovation and preservation of floor coverings of all types including wood flooring, tile and stone.

As a system partner for the trade, planners, architects and builders, Uzin Utz AG has dedicated itself to providing professional support for technicians and contractors in all areas of flooring installation for over 100 years.



Global Headquarters - Ulm, Germany





Uzin Utz

NORTH AMERICA



PALLMANN®
wood floors. protected



PALLMANN®
wood floors. protected

PALLMANN® | A brand of Uzin Utz Group
Aurora, CO 80011 USA | Phone: 720.374.4810
pallmann.us@uzin-utz.com | us.pallmann.net